



Contents lists available at ScienceDirect

Journal of Plant Physiology

journal homepage: www.elsevier.com/locate/jplph



Review

The value of biodiversity in legume symbiotic nitrogen fixation and nodulation for biofuel and food production

Peter M. Gresshoff^{a,*}, Satomi Hayashi^a, Bandana Biswas^a, Saeid Mirzaei^{a,b},
Arief Indrasumunar^a, Dugald Reid^a, Sharon Samuel^a, Alina Tollenaere^a,
Bethany van Hameren^a, April Hastwell^a, Paul Scott^a, Brett J. Ferguson^a

^a Centre for Integrative Legume Research (CILR), and School of Agriculture and Food Sciences, The University of Queensland, St Lucia, Brisbane 4072, QLD, Australia

^b Department of Biotechnology, Institute of Science, High Technology and Environmental Sciences, Graduate University of Advanced Technology, Kerman, Iran

ARTICLE INFO

Article history:

Received 14 March 2014
Received in revised form 13 May 2014
Accepted 13 May 2014
Available online xxx

Keywords:

Genetics
Legumes
Peak oil
Symbiosis
Sustainability

ABSTRACT

Much of modern agriculture is based on immense populations of genetically identical or near-identical varieties, called cultivars. However, advancement of knowledge, and thus experimental utility, is found through biodiversity, whether naturally-found or induced by the experimenter. Globally we are confronted by ever-growing food and energy challenges. Here we demonstrate how such biodiversity from the food legume crop soybean (*Glycine max* L. Merr) and the bioenergy legume tree *Pongamia* (*Millettia pinnata*) is a great value. Legume plants are diverse and are represented by over 18,000 species on this planet. Some, such as soybean, pea and medics are used as food and animal feed crops. Others serve as ornamental (e.g., wisteria), timber (e.g., acacia/wattle) or biofuel (e.g., *Pongamia pinnata*) resources. Most legumes develop root organs (nodules) after microsymbiont induction that serve as their habitat for biological nitrogen fixation. Through this, nitrogen fertiliser demand is reduced by the efficient symbiosis between soil *Rhizobium*-type bacteria and the appropriate legume partner. Mechanistic research into the genetics, biochemistry and physiology of legumes is thus strategically essential for future global agriculture. Here we demonstrate how molecular plant science analysis of the genetics of an established food crop (soybean) and an emerging biofuel *P. pinnata* feedstock contributes to their utility by sustainable production aided by symbiotic nitrogen fixation.

Crown Copyright © 2014 Published by Elsevier GmbH. All rights reserved.

Contents

Global nitrogen condition	00
Legume nodule formation and subsequent nitrogen fixation	00
The legume <i>NARK/HAR1/SUNN</i> gene controlling nodule number	00
Variation through neodiversification of <i>Clavata1A</i> of soybean	00
Induced genetic variability of legume nodulation genes	00
The legume biofuel tree <i>Pongamia pinnata</i> : Existing natural biodiversity	00
Future perspectives	00
Acknowledgements	00
References	00

* Corresponding author. Tel.: +61 7 3365 3550; fax: +61 7 3365 3556.
E-mail address: p.gresshoff@uq.edu.au (P.M. Gresshoff).

<http://dx.doi.org/10.1016/j.jplph.2014.05.013>

0176-1617/Crown Copyright © 2014 Published by Elsevier GmbH. All rights reserved.